Revision No. 2 September 6, 2012

VA WATER PROTECTION PROVIDENCE VA. Coo				ARGE/CIVIL I rough -44.15:23		RKSHEET	
Permittee/Responsible Party		<u>X_0</u>	Reg. No.	Date			
			F	rm Severity)			
		ata	Serious Moderate		Marginal	Amount	
1. Gravity Factors - Surface Water and Wetland	is (S	ever	ity and Environment	al Harm)			
Violations and Frequency			\$ (x) occurrences	\$ (x) occurrences	\$ (x) occurrences	(Comments)	
a. Failure to obtain coverage under an Individual Permit (IP) or a General Permit (GP) prior to commencing activity	Y	N	6,500 (x)	2,600 (x)	1,300 (x)		
b. Exceeding coverage authorized under an IP or GP	Y	N	6,500(x)	2,600 (x)	1,300 (x)		
c. Failure to perform or complete compensatory mitigation	Y	N	26,000 (x)	13,000 (x)	6,500 (x)		
d. Failure to perform or complete corrective action relative to unsuccessful compensation.	Y	N	13,000 (x)	6,500 (x)	2,600 (x)		
e. Failure to conduct compensation monitoring or water quality monitoring	Y	N	6,500 (x)	2,600 (x)	1,300 (x)		
f. Failure to conduct construction monitoring	Y	N	6,500 (x)	2,600 (x)	1,300 (x)		
g. Failure to submit preconstruction notice	Y	N	13,000 (x)	6,500 (x)	2,600 (x)		
h. Failure to submit plans and specifications prior to commencing construction	Y	N	6,500 (x)	2,600 (x)	1,300 (x)		
i. Unauthorized impacts to wetlands and/or streams (wetlands and streams will be assessed separately)	Y	N	26,000 (x)	13,000 (x)	6,500 (x)		
j. Failure to comply with permit special conditions	Y	N	6,500 (x)	2,600 (x)	1,300 (x)		
k. Failure to submit a complete, final compensation plan	Y	N	6,500 (x)	2,600 (x)	1,300 (x)		
l. Record or reporting violations	Y	N	2,600 (x)	1,300 (x)	700 (x)		

Revision No. 2 September 6, 2012

Violations and Frequency			\$ (x) occurren	ces	\$ (x) o	ccurrences	\$ (x) occum	rences		
a. Exceedance of daily withdrawal limits (per day)	Y	N	1,300	(x)	700 (x)		100 (x)			
b. Exceedance of monthly withdrawal limits (per month)	Y	N	2,600	(x)	1,3	00 (x)	700	(x)		_
c. Exceedance of annual withdrawal limits	Y	N	5,200	(x)	2,6	00 (x)	1,300	(x)		
d. Failure to submit annual monitoring reports (per report)	Y N		1,300	(x)	700 (x)		300 (x)			
e. Unpermitted withdrawal (per day or per event)	Y	N	13,000	(x)	6,5	00 (x)	1,300	(x)		
f. Failure to submit appropriate permit application	Y	N	5,200	(x)	2,6	00 (x)	1,300	(x)		
g. Failure to report (requested application, water audit, new well, etc) (per event)	Y	N	2,600	(x)	1,3	00 (x)	700	(x)		
h. Failure to mitigate	Y	N	13,000	(x)	6,5	00 (x)	1,300	(x)		
i. Failure to install and/or maintain equipment or other operational deficiencies	Y	N	2,600	(x)	1,3	00 (x)	700	(x)		
j. Incomplete or improper reporting	Y	N	2,600	(x)	1,3	00 (x)	700	(x)		
k. Other, Violation of Permit, Special Exceptions, or Special Conditions NOT listed above (e.g., time of year, minimum instream flow requirements) (per event)	Y	N	2,600	(x)	1,300 (x)		700	(x)		
Violations and Frequency Subtotal										
3. Aggravating Factors (Severity and Complia	nce	His	tory)							
a History of Noncompliance										
Order or decree in another media program within 36 mo. before initial NOV	Y	ı	Frequency Subtotal, or \$5,000							
Order or decree in same media program within 36 mo. before initial NOV	Y	Y N If yes, add 0.5 (x) Violations and Frequency Subtotal (for 1 order in 36 mo.)								
b Degree of Culpability (apply to violation(s)' Amount or to the Violations and Frequency Subtotal)	$Low = (x) 0 \qquad Mode \\ (x) 0$					High = 1.0	= (x)			
Aggravating Factor Subtotal					-					
Gravity-Based Component Subtotal (1+2)					-					
Economic Benefit of Noncompliance (Econo	mic	Bei	nefit)							
5. Ability to Pay (Ability to Pay)									()

Comments: